

Prepared for:

HD DISTRIBUTION

3147 CENTURY STREET
COLORADO SPRINGS, CO USA 80907

Eddie CBD Wax

Batch ID or Lot Number: E22261W	Test: Potency	Reported: 03Oct2022	USDA License: N/A
Matrix: Concentrate	Test ID: T000223056	Started: 29Sep2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 29Sep2022	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.062	0.189	0.890	8.90	
Cannabichromenic Acid (CBCA)	0.056	0.173	ND	ND	
Cannabidiol (CBD)	0.180	0.459	72.760	727.60	
Cannabidiolic Acid (CBDA)	0.185	0.470	ND	ND	
Cannabidivarin (CBDV)	0.043	0.108	0.820	8.20	
Cannabidivarinic Acid (CBDVA)	0.077	0.196	ND	ND	
Cannabigerol (CBG)	0.035	0.107	5.490	54.90	
Cannabigerolic Acid (CBGA)	0.146	0.449	ND	ND	
Cannabinol (CBN)	0.046	0.140	0.690	6.90	
Cannabinolic Acid (CBNA)	0.100	0.306	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.174	0.535	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.158	0.486	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.140	0.430	ND	ND	
Tetrahydrocannabivarin (THCV)	0.032	0.098	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.124	0.380	ND	ND	
Total Cannabinoids			80.650	806.50	
Total Potential THC			ND	ND	
Total Potential CBD			72.760	727.60	

Final Approval



Daniel Weidensaul
03Oct2022
03:09:00 PM MDT



Sam Smith
03Oct2022
03:10:00 PM MDT



PREPARED BY / DATE

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/91d1d761-1962-455e-97cd-5fe1037d0762>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
91d1d7611962455e97cd5fe1037d0762.1