

Prepared for:

HD DISTRIBUTION

3147 CENTURY STREET
COLORADO SPRINGS, CO USA 80907

Cibadol Full Spectrum Tincture 900mg

Batch ID or Lot Number: C22361T9	Test: Potency	Reported: 02Jan2023	USDA License: N/A
Matrix: Unit	Test ID: T000231642	Started: 30Dec2022	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 29Dec2022	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.567	5.612	33.580	1.20	# of Servings = 1, Sample Weight=28.67g
Cannabichromenic Acid (CBCA)	1.433	5.133	ND	ND	
Cannabidiol (CBD)	6.320	15.019	1010.080	35.20	
Cannabidiolic Acid (CBDA)	6.482	15.404	ND	ND	
Cannabidivarin (CBDV)	1.495	3.552	102.030	3.60	
Cannabidivarinic Acid (CBDVA)	2.704	6.426	ND	ND	
Cannabigerol (CBG)	0.890	3.186	62.750	2.20	
Cannabigerolic Acid (CBGA)	3.719	13.319	ND	ND	
Cannabinol (CBN)	1.160	4.157	<LOQ	<LOQ	
Cannabinolic Acid (CBNA)	2.537	9.087	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	4.430	15.868	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	4.023	14.411	44.040	1.50	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.565	12.768	ND	ND	
Tetrahydrocannabivarin (THCV)	0.809	2.898	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	3.144	11.262	ND	ND	
Total Cannabinoids			1252.480	43.70	
Total Potential THC			44.040	1.50	
Total Potential CBD			1010.080	35.20	

Final Approval



Sam Smith
02Jan2023
12:58:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
02Jan2023
01:01:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/151122df-758a-4939-8111-38a80db9eebd>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

151122df758a4939811138a80db9eebd.1