

Prepared for:

HD DISTRIBUTION

3147 CENTURY STREET
COLORADO SPRINGS, CO USA 80907

Hangover Shot

Batch ID or Lot Number: CZ23129HSH	Test: Potency	Reported: 13May2023	USDA License: N/A
Matrix: Unit	Test ID: T000243654	Started: 11May2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 10May2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	1.455	4.128	ND	ND	# of Servings = 1, Sample Weight=70.5g
Cannabichromenic Acid (CBCA)	1.331	3.776	ND	ND	
Cannabidiol (CBD)	4.367	11.034	34.790	0.50	
Cannabidiolic Acid (CBDA)	4.479	11.317	ND	ND	
Cannabidivarin (CBDV)	1.033	2.610	ND	ND	
Cannabidivarinic Acid (CBDVA)	1.868	4.721	ND	ND	
Cannabigerol (CBG)	0.826	2.344	ND	ND	
Cannabigerolic Acid (CBGA)	3.453	9.799	ND	ND	
Cannabinol (CBN)	1.078	3.058	ND	ND	
Cannabinolic Acid (CBNA)	2.356	6.685	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	4.114	11.674	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	3.736	10.602	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	3.310	9.393	ND	ND	
Tetrahydrocannabivarin (THCV)	0.751	2.132	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	2.920	8.285	ND	ND	
Total Cannabinoids			34.790	0.50	
Total Potential THC			ND	ND	
Total Potential CBD			34.790	0.50	

Final Approval



Karen Winternheimer
13May2023
12:15:00 PM MDT

PREPARED BY / DATE



Sam Smith
13May2023
12:16:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uiid/7171907c-5773-4376-8806-86ade6c3d19a>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

7171907c57734376880686ade6c3d19a.1